



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Below, are given the receipts of this gauge for the last five years, by which it will be seen that on the average of the three years ending with 1849, it has received 23·4 per cent. *less* than the valley; but in 1850, with the slight alteration in position just described, it has obtained 1·6 per cent. *more* rain than the valley, showing an annual increase of 25 per cent. consequent on the removal of the instrument 90 yards in linear distance, and a diminution of 5 feet in its height above the valley.

Year.	Seathwaite, 368 feet above the sea.	Seatollar Com- mon, 1388 feet above the sea.	Deficiency per cent. at Sea- tollar Common.
	in.	in.	in.
1847.	129·24	104·55	—18·5
1848.	160·89	123·68	—23·1
1849.	125·47	108·97	
1849 to Aug. 31.	78·95	56·34	—28·7
1850.	143·96	146·18	+ 1·6

The records of the self-registering minimum thermometer on Sca Fell, in 1850, are as under:—

January and February, 31° below zero; March, 10° below zero; April, 10° below zero; May, 14°; June, 22°; July, observation lost; August, 9°; September, 7°; October, 7°; November and December, 15° below zero.

In the valley, the minima at 4 feet from the ground were,—in January, 19°; February, 29°; March, 21°; April, 32°; May, 30°; June, 42°; July, 43°; August, 39°·5; September, 39°; October, 27°; November, 20°·5; and December, 22°.

I have recently planted a minimum thermometer on the Gabel, and also one near Sprinkling Tarn, at the respective heights above the sea of 2928 and 1900 feet, and hope, in future, to obtain regular monthly readings at all the three stations.

*The Observatory, Whitehaven,
February 6, 1851.*

Erratum in Philosophical Transactions, Part I. for 1851.

Page 147, second line from top, for “severe nights” read “severe droughts.”